



CABS

Passenger Cab





Cabs

**Elevator Solutions International Inc.
Passenger Cab**

Features

The Elevator Solutions International Inc. Passenger Cab is designed to allow a wide choice of material, color, heights, and load capacities. They are pre-engineered to allow efficient installation.

- 16 Standard paint colors
- 20 Laminate selections
- Simplified installation
- Suspended diffuser ceiling
- White 16 Ga baked enamel canopy
- #4 Stainless steel front
- Wood or metal handrail
- 16 Ga baked enamel walls
- 5/8" Laminate clad raised panels
- Meets all state & federal codes
- Extruded aluminum sill
- 16 Ga baked enamel doors
- Complete COPs (optional)
- #8 Stainless steel, #4 & #8 bronze (optional)
- Front & reverse available
- 4" revealed base
- Applied base (optional)
- Island ceiling (optional)
- Height variability from 96-120" (6" increments)
- Handrail choices



Passenger Cab

Passenger	Capacity	Platform	Door Width	Door Style
	2000 lbs	72" x 60"	36"	SSL (only)
	2500 lbs	84" x 60"	42"	SSL & CO
	3000 lbs	84" x 66"	42"	SSL & CO
	3500 lbs	84" x 74"	42"	SSL & CO
	4000 lbs	96" x 74"	48"	CO (only)
Service	Capacity	Platform	Door Width	Door Style
	4000 lbs	72" x 100"	48"	2 Spd
	4500 lbs	72" x 106"	48"	2 Spd
	5000 lbs	72" x 112.5"	48"	2 Spd



Cabs

Elevator Solutions International Inc. Passenger Cab

The Elevator Solutions International Inc. Passenger Cab is a steel shell enclosure with #4 stainless steel front and handrail. The cab includes, as a standard, a drop diffuser ceiling, one handrail at rear, #4 stainless transom and swing return, code required ventilation, and lighting. The Passenger Cab can accommodate any of our line of operators. While offering a complete line of recommended cab sizes the Elevator Solutions International Inc. Cab also offers thousands of pre-engineered options which allow this cab to satisfy a very large percentage of the market requirements in North America. Cab heights are available from 96" to 120" in 6" increments. Two door styles complete the Passenger Cab. The doors are extremely flexible allowing heights up to 108" and widths up to 48". These doors feature simple manufacturing and installation which is offered in standard sizes. Standard colors are offered as well as custom matches.

Architectural Packages

See your sales representative to fill your needs for complete architectural packages. We can supply entrances, harmonic and linear door operators with Closed Loop options as well as COPs & landing signalization.

*Vandal resistant COP's
and fixtures*



Handrail

- 2" #4SS flat & round shown
* Also available #4BZ, #8SS, #8BZ
and 4" Flat



#4 Flat Stainless back handrail is standard



Contact Us for

Cabs

Entrances

Door Motorization
(Operators, car & hatch track)

Doors

Elevator Solutions International Inc.

PO Box 987
7702 Fifth Avenue
Strother Field Industrial Park
Arkansas City KS 67005 USA

www.elevsol.com
info@elevsol.com

Phone: 620-442-2510
Fax: 620-442-1599
1-866-473-5266